


# RCEPB ~ Handgemaakt asymmetrisch plat verloopstuk zonder omgeplooid boord



| CODE            | D1  | D2  | l   | A  |
|-----------------|-----|-----|-----|----|
| RCEPB 160 80 S  | 160 | 80  | 1.5 | 20 |
| RCEPB 160 100 S | 160 | 100 | 1.5 | 10 |
| RCEPB 200 80 S  | 200 | 80  | 1.5 | 40 |
| RCEPB 200 100 S | 200 | 100 | 1.5 | 30 |
| RCEPB 200 125 S | 200 | 125 | 1.5 | 18 |
| RCEPB 250 80 S  | 250 | 80  | 1.5 | 65 |
| RCEPB 250 100 S | 250 | 100 | 1.5 | 55 |
| RCEPB 250 125 S | 250 | 125 | 1.5 | 42 |
| RCEPB 250 160 S | 250 | 160 | 1.5 | 25 |
| RCEPB 315 80 S  | 315 | 80  | 1.5 | 97 |
| RCEPB 315 100 S | 315 | 100 | 1.5 | 87 |
| RCEPB 315 125 S | 315 | 125 | 1.5 | 75 |
| RCEPB 315 160 S | 315 | 160 | 1.5 | 57 |

| CODE            | D1  | D2  | I   | A   |
|-----------------|-----|-----|-----|-----|
| RCEPB 315 200 S | 315 | 200 | 1.5 | 37  |
| RCEPB 355 80 S  | 355 | 80  | 1.5 | 117 |
| RCEPB 355 100 S | 355 | 100 | 1.5 | 107 |
| RCEPB 355 125 S | 355 | 125 | 1.5 | 95  |
| RCEPB 355 160 S | 355 | 160 | 1.5 | 77  |
| RCEPB 355 200 S | 355 | 200 | 1.5 | 57  |
| RCEPB 355 250 S | 355 | 250 | 1.5 | 32  |
| RCEPB 400 80 S  | 400 | 80  | 1.8 | 140 |
| RCEPB 400 100 S | 400 | 100 | 1.8 | 130 |
| RCEPB 400 125 S | 400 | 125 | 1.8 | 117 |
| RCEPB 400 160 S | 400 | 160 | 1.8 | 100 |
| RCEPB 400 200 S | 400 | 200 | 1.8 | 80  |
| RCEPB 400 250 S | 400 | 250 | 1.8 | 65  |
| RCEPB 400 315 S | 400 | 315 | 1.8 | 22  |
| RCEPB 450 80 S  | 450 | 80  | 1.8 | 165 |
| RCEPB 450 100 S | 450 | 100 | 1.8 | 155 |
| RCEPB 450 125 S | 450 | 125 | 1.8 | 142 |
| RCEPB 450 160 S | 450 | 160 | 1.8 | 125 |
| RCEPB 450 200 S | 450 | 200 | 1.8 | 105 |
| RCEPB 450 250 S | 450 | 250 | 1.8 | 80  |
| RCEPB 450 315 S | 450 | 315 | 1.8 | 47  |
| RCEPB 450 355 S | 450 | 355 | 1.8 | 27  |
| RCEPB 500 80 S  | 500 | 80  | 2.1 | 190 |
| RCEPB 500 100 S | 500 | 100 | 2.1 | 180 |
| RCEPB 500 125 S | 500 | 125 | 2.1 | 167 |

| CODE            | D1  | D2  | I   | A   |
|-----------------|-----|-----|-----|-----|
| RCEPB 500 160 S | 500 | 160 | 2.1 | 150 |
| RCEPB 500 200 S | 500 | 200 | 2.1 | 130 |
| RCEPB 500 250 S | 500 | 250 | 2.1 | 105 |
| RCEPB 500 315 S | 500 | 315 | 2.1 | 72  |
| RCEPB 500 355 S | 500 | 355 | 2.1 | 52  |
| RCEPB 500 400 S | 500 | 400 | 2.1 | 30  |